

41922



## Department of Energy

Idaho Operations Office  
850 Energy Drive  
Idaho Falls, Idaho 83401-1563

April 23, 2003

Mr. Wayne Pierre, Team Leader  
Environmental Cleanup Office  
U.S. Environmental Protection Agency  
Region X  
1200 Sixth Avenue  
Seattle, Washington 98101

Mr. Dean Nygard, Site Remediation Manager  
Idaho Department of Environmental Quality  
1410 N. Hilton  
Boise, Idaho 83706

SUBJECT: Transmittal of the Explanation of Significant Differences (ESD) for the Record of Decision (ROD) for the Test Area North, Operable Unit (OU) 1-10 - (EM-ER-03-111)

Dear Mr. Pierre and Mr. Nygard:

The *Explanation of Significant Differences (ESD) for the Record of Decision (ROD) for the Test Area North, Operable Unit (OU) 1-10* addresses necessary changes to the remedies for the V-Tanks, Burn Pits, and Fuel Leak Site. The ESD also addresses the transfer of the Mercury Spill site to the OU 10-08 ROD. The ESD has become final based on Agency concurrence on the draft final document submitted March 20, 2003 and subsequent Agency signature on the document approval pages.

Please contact me at (208) 526-4392 or Mark Shaw at (208) 526-6442 with any questions.

Sincerely,

A handwritten signature in cursive script, reading "Kathleen E. Hain", is positioned above the typed name.

Kathleen E. Hain, Lead  
Environmental Restoration Program

Enclosure

cc: C. Cody, DEQ, 1410 N. Hilton, Boise, ID 83706  
M. Wilkening, EPA Region X, Idaho Ops Office, 1435 N. Orchard St., Boise, ID 83706